


Terra-Sorb Foliar

Free L-isomer
Amino Acids from Enzymatic Hydrolysis
for Foliar Application

Composition	%	Unit	Source
Free amino acids (L-Isomer)	11.5	%	Plants
Total Nitrogen	5.8	%	Plants
Organic Nitrogen	1.8	%	Amino acids
Mineral Nitrogen	4	%	NH ₄ OH
Density	1.15	g/ml	
PH	5.3	PH	

Why you need Terra-Sorb ?


- 1-Plant resistance and recovery under stress situations.
- 2-Stimulus and protection of pollination and fructification.
- 3-Improvement of absorption and translocation of substances inside the plant.
- 4-Effect on fruit quality.
- 5-All biologically active Amino Acids are L- α -Amino acids for only they can form proteins



The L-isomer Amino Acids

There are 18 L- α -Amino Acids forming proteins in all living beings:
 (Alanine, Cysteine, Phenylalanine, Aspartic Acid, Glutamic Acid, Histidine, Isoleucine, Leucine, Lysine, Methionine, Proline, Serine, Tyrosine, Threonine, Tryptophan, Valine)

All these Amino Acids are present in **Terra-Sorb®** thanks to its production process. Amino Acids intervene in numerous processes in plants. Next, we highlight some of these processes and the main Amino Acids they involve



Function	Amino acids
Radicular development	Methionine and Arginine
Resistance to stress conditions	Proline, Valine, Serine, Lysine, Glutamic Acid and Cysteine.
Hormone precursors	Tryptophan and Methionine
Flavour precursors	Alanine, Glycine and Proline
Colour precursors	Phenylalanine.
Increase of pollen's germination rate	Proline and Glutamic Acid
Increase of seed's germination rate	Proline
Photosynthesis and chlorophyll reinforcement	Alanine, Glycine, Lysine, Glutamic Acid and Proline.
Osmoregulation	Proline
Stomatal opening	Alanine, Glutamic Acid, Lysine, Proline and Methionine

Plant	Dosage	Notes
wheat and barley	1.5 L/1000 L / H	When using Herbicides
Watermelon, Melon, cucumber and Squash	2.5 L/1000 L / H	At the fruit set (4 cm length)
Cabbage, Cauliflower and lettuce	2-3 L/1000 L / H	After transplanting (repeat after 20 day)
Onion and garlic	3 L/1000 L / H	After 2 plant leaves come out
Strawberry	2-3 L/1000 L / H	At the fruit set (repeat after 15 day)
Beans	3 L/1000 L / H	After fruit length 6-8 cm
clover	2 L/1000 L / H	After 4-6 cm plant length
Tomato, eggplant and pepper	2.5 L/1000 L / H	At the flowering stage
Potato	3 L/1000 L / H	At 15 cm plant length
Citrus	2.5-3 L/1000 L / H	At vegetative, flowering and 4-6cm fruit length
Olive	3 L/1000 L / H	

